


## "6" Shape connectors



## Compression connectors

A mm <sup>2</sup>	C mm <sup>2</sup>			
50 - 120	25 - 35		15G86R	54855
50 - 120	50 - 70	TBM14M	15G86R	54860
50 - 120	95 - 120	OR	1568GR	54865-CK
16 - 35	16 - 35	TBM15I	15501A	54875
120 - 240	25 - 35		15G126R	54890
120 - 240	95 - 120		15G121R	54895
120 - 240	185 - 240		15G121R	54900

B inches Ø	C mm <sup>2</sup>			
1/2" - 5/8"	25 - 35		15G86R	54855
1/2" - 5/8"	50 - 70	TBM14M	15G86R	54860
1/2" - 5/8"	95 - 120	OR	1568GR	54865-CK
5/8" - 3/4"	25 - 35	TBM15I	15G126R	54890
5/8" - 3/4"	95 - 120		15G121R	54895
5/8" - 3/4"	185 - 240		15G121R	54800



Can also be used to connect cable to steel reinforcing bar.


Peut aussi servir à raccorder un câble à une barre d'armature en acier.

Kann auch zum Anschluss des Kabels an die Stahl-Verstärkungsschiene verwendet werden.

Può anche essere usato per collegare il cavo alla barra di armatura in acciaio.

También se puede usar para conectar el cable a la barra de refuerzo de acero.




## "8" Shape connectors




A inches Ø	B mm <sup>2</sup>			
1"	240 - 150			GR1-300500
3/4"	240 - 150			GR34-300500
5/8"	240 - 150			GR58-300500
1"	150 - 70			GR1-40250
3/4"	150 - 70	TBM14M		GR34-40250
5/8"	150 - 70	OR	15G121R	GR58-40250
1/2"	150 - 70	TBM15I		GR12-40250
1"	70 - 35			GR1-202
3/4"	70 - 35			GR34-202
5/8"	70 - 35			GR58-202
1/2"	70 - 35			GR12-202

## Compression connectors





## "C" Shape connectors


A mm <sup>2</sup>	B mm <sup>2</sup>			Die colour code*		
50	50 - 35	TBM14M	15512	76	Blue	54755
70	70 - 25	TBM12	TBM12D-4	76H	Blue	
70	50 - 16	TBM15I	15512	76	Blue	
95	35 - 10	TBM14M	15512	76	Blue	
70	70 - 25	TBM14M	15506	87H	Brown	54760
95	95 - 25	TBM12	TBM12D-3	87H	Brown	
120	50 - 10	TBM15I	15506	87H	Brown	
70	70 - 35	TBM14M	15505	99H	Pink	
95	95 - 25	TBM12	TBM12D-2	99H	Pink	54765
120	70 - 16	TBM15I	15505	99H	Pink	
120	70 - 10	TBM14M	15505	99H	Pink	
95	95 - 70	TBM14M	15515	106H	Black	
120	120 - 35	TBM15I	15515	106H	Black	54770
50	95 - 25	TBM12	TBM12D-2	106H	Black	
185	70 - 16	TBM14M	15515	106H	Black	
150	150 - 70	TBM14M	15504	115H	Yellow	
185	185 - 50	TBM15I	15504	115H	Yellow	54775
185	150 - 35	TBM12	TBM12D-1	115H	Yellow	
240	120 - 16	TBM15I	15504	115H	Yellow	
185	185 - 95	TBM15I	15603	125H	White	
185	185 - 70	TBM15I	15603	125H	White	54780
240	240 - 35	TBM15I	15603	125H	White	






\* Die colour code / \* Code couleur de matrice / \* Matrizen-Farbencode /  
\* Codice del colore della matrice / \* Código de color de microplaquetas

## Grid connector

A mm <sup>2</sup>		B mm <sup>2</sup>			
35	45	35	45		GG21-21
50	54	50	54		GG10-10
70	60	35	45		GG2030-21
70	60	50	54		GG2030-10
70	60	70	60	TBM14M	GG2030-2030
95 - 120	71	35	45	OR	GG40250-21
95 - 120	71	50	54	TBM15I	GG40250-10
95 - 120	71	70	60		GG40250-2030
95 - 120	71	95 - 120	71		GG40250-40250
185	80H	185	80H		GG350-350
240	87	120 - 120	71		GG500-40250
240	87	240	87		GG500-500
240	87H	185	80H		GG500-350
240	87H	70	60		GG500-2030





A mm <sup>2</sup>	B mm	 each	
16	6	0.01	FCT166
16	8	0.01	FCT168
16	10	0.01	FCT1610
16	12	0.01	FCT1612
25	6	0.01	FCT256
25	8	0.01	FCT258
25	10	0.01	FCT2510
25	12	0.01	FCT2512
35	6	0.01	FCT356
35	8	0.01	FCT358
35	10	0.01	FCT3510
35	12	0.01	FCT3512
50	6	0.02	FCT506
50	8	0.02	FCT508
50	10	0.02	FCT5010
50	12	0.02	FCT5012
70	8	0.04	FCT708
70	10	0.04	FCT7010
70	12	0.04	FCT7012
70	16	0.04	FCT7016
95	8	0.06	FCT958
95	10	0.06	FCT9510
95	12	0.06	FCT9512
95	14	0.06	FCT9514
95	16	0.06	FCT9516
120	10	0.06	FCT12010
120	12	0.06	FCT12012
120	14	0.06	FCT12014
120	16	0.06	FCT12016
150	10	0.09	FCT15010
150	12	0.09	FCT15012
150	14	0.09	FCT15014
150	16	0.09	FCT15016
185	12	0.11	FCT18512
185	14	0.11	FCT18514
185	16	0.11	FCT18516
240	12	0.14	FCT24012
240	14	0.14	FCT24014
240	16	0.14	FCT24016
300	12	0.17	FCT30012
300	14	0.17	FCT30014
300	16	0.17	FCT30016
400	12	0.21	FCT40012
400	14	0.21	FCT40014
400	16	0.21	FCT40016